

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L2</b>	<b>2592</b>	<b>709/206,207.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>2</b>	<b>L3</b>	<b>1205</b>	<b>2 and (@ad&lt;20000830 or @prad&lt;20000830)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>3</b>	<b>L4</b>	<b>129</b>	<b>3 and (date or hour or time) near3 (open\$3 or decod\$3 or view\$3)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>4</b>	<b>L5</b>	<b>462</b>	<b>(email or e-mail or electronic adj mail).ti,ab. and ((date or hour or time) near3 (open\$3 or decod\$3 or view\$3))</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>5</b>	<b>L6</b>	<b>97</b>	<b>((email or e-mail or electronic adj mail) with (open\$3 or read\$3 or decod\$3 or view\$3)).ti,ab. and ((date or hour or time) near3 (open\$3 or decod\$3 or view\$3))</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>6</b>	<b>L7</b>	<b>46</b>	<b>6 and (@ad&lt;20000830 or @prad&lt;20000830)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>7</b>	<b>L9</b>	<b>3</b>	<b>6351763.URPN.</b>	<b>USPAT</b>
<b>8</b>	<b>L10</b>	<b>3</b>	<b>("5428778"   "5867281"   "5958005").PN.</b>	<b>USPAT</b>
<b>9</b>	<b>L8</b>	<b>36</b>	<b>7 not 4</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>10</b>	<b>L11</b>	<b>0</b>	<b>11168495.URPN.</b>	<b>USPAT</b>
<b>11</b>	<b>L12</b>	<b>25</b>	<b>(specify\$3 or designat\$3 or set or setting) near4 (time or date or hour) near4 (open\$4 or view\$3 or read\$3 or decod\$3) near4 (email or e-mail or electronic adj mail or electronic adj message)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>12</b>	<b>L13</b>	<b>51</b>	<b>(specify\$3 or designat\$3 or set or setting) near4 (time or date or hour) with (open\$4 or view\$3 or read\$3 or decod\$3) near4 (email or e-mail or electronic adj mail or electronic adj message)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>13</b>	<b>L14</b>	<b>14</b>	<b>13 and (@ad&lt;20000830 or @prad&lt;20000830)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>14</b>	<b>L15</b>	<b>0</b>	<b>jp19980021615</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>15</b>	<b>L16</b>	<b>1</b>	<b>jp11203215</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>16</b>	<b>L17</b>	<b>0</b>	<b>jp11203215a</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>17</b>	<b>L18</b>	<b>0</b>	<b>designation adj time and electronic adj mail and designated adj date and birthday</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>18</b>	<b>L19</b>	<b>15</b>	<b>"203215"</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>19</b>	<b>L20</b>	<b>342</b>	<b>open\$3 near4 (mail or message or email or e-mail) near4 (designat\$3 or specific\$5 or set or setting)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>20</b>	<b>L21</b>	<b>37</b>	<b>open\$3 near4 (mail or message or email or e-mail) near4 (designat\$3 or specific\$5 or set or setting) near5 (time or day or date or hour)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>21</b>	<b>L22</b>	<b>23</b>	<b>21 and (@ad&lt;20000830 or @prad&lt;20000830)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>22</b>	<b>L23</b>	<b>0</b>	<b>11203215.URPN.</b>	<b>USPAT</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>19</b>	("5974448" "6199103" "6230186" "6311210" "5937162" "6360254" "6377936" "5966695" "5793972" "6618747" "6101485" "6694353" "6055510" "5958005" "6591367" "6769067" "6332164" "6065048" "6487586" "6311210").pn.	<b>USPAT</b>
<b>2</b>	<b>L2</b>	<b>446</b>	open\$3 near4 (mail or message or email or e-mail) near4 (time or date or hour)	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>3</b>	<b>L3</b>	<b>97</b>	(open\$3 near4 (mail or message or email or e-mail) near4 (time or date or hour)).ti,ab,clm.	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>4</b>	<b>L4</b>	<b>59</b>	3 and (@ad<20000830 or @prad<20000830)	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>5</b>	<b>L5</b>	<b>96</b>	((open\$3 or view\$3) near3 (mail or message or email or e-mail) near5 (time or date or hour)).ti,ab.	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>6</b>	<b>L6</b>	<b>62</b>	5 and (@ad<20000830 or @prad<20000830)	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>7</b>	<b>L9</b>	<b>7690</b>	(view\$3 or open\$3 or delet\$3 or eras\$3 or display\$3 or decod\$3 or read) near4 (mail or message or email or e-mail) near4 (time or date or hour)	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>8</b>	<b>L10</b>	<b>32848 1</b>	(chang\$3 or alter\$3) near4 (time or clock near2 setting)	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>9</b>	<b>L11</b>	<b>25752</b>	(chang\$3 or alter\$3) near4 (time or clock near2 setting) with (respectiv\$3 or relat\$3 or relatively or equal or equivalent)	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>10</b>	<b>L12</b>	<b>141</b>	<b>9 and 11</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>11</b>	<b>L13</b>	<b>102</b>	<b>12 and (@ad&lt;20000830 or @prad&lt;20000830)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>12</b>	<b>L14</b>	<b>8</b>	<b>daylight adj savings adj time with chang\$3 with automatic\$3</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>13</b>	<b>L15</b>	<b>8</b>	<b>daylight adj savings adj time with (adjust\$3 or chang\$3) with automatic\$3</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>14</b>	<b>L16</b>	<b>32975</b>	<b>(chang\$3 or alter\$3 or adjust\$3) near4 (time or clock near2 setting) with (respectiv\$3 or relat\$3 or relatively or equal or equivalent)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>15</b>	<b>L17</b>	<b>215</b>	<b>(chang\$3 or alter\$3 or adjust\$3) near4 (clock) and daylight adj savings</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>16</b>	<b>L18</b>	<b>102</b>	<b>(chang\$3 or alter\$3 or adjust\$3) near4 (clock) same daylight adj savings</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>17</b>	<b>L19</b>	<b>9</b>	<b>18 same computer</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>18</b>	<b>L20</b>	<b>50</b>	<b>(chang\$3 or alter\$3 or adjust\$3) near4 (clock) same automatic\$4 and daylight adj savings</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>19</b>	<b>L21</b>	<b>35</b>	<b>(automatic\$4) near3 (chang\$3 or adjust\$3) near5 daylight adj savings</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>20</b>	<b>L22</b>	<b>31</b>	<b>21 and (computer)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>21</b>	<b>L23</b>	<b>9</b>	<b>(email or e-mail or electronic adj mail) near3 program and daylight adj savings</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>22</b>	<b>L24</b>	<b>53</b>	<b>(automatic\$4) near3 (chang\$3 or adjust\$3) near5 time same (daylight adj savings)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>23</b>	<b>L25</b>	<b>44</b>	<b>(automatic\$4) near2 (chang\$3 or adjust\$3) same (daylight adj savings adj time)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>24</b>	<b>L26</b>	<b>17</b>	<b>(automatic\$4) near2 (chang\$3 or adjust\$3) same (daylight adj savings adj time) and windows</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>
<b>25</b>	<b>L27</b>	<b>35</b>	<b>(set or setting) near3 clock near4 (bootup or startup)</b>	<b>USPAT; US-PGPUB; EPO; JPO; IBM_TDB</b>

ProQuest Search:

open\* w/4 (message or mail or email or e-mail) w/4 (time or date or hour)

open\* w/4 (message or mail or email or e-mail) w/4 (time or date or hour) w/8 (designat\* or specif\* or set or setting)

open\* w/4 (electronic w/2 (message or mail) or email or e-mail) w/4 (time or date or hour)

(view\* or open\* or unlock\* or decod\*) w/4 (electronic w/2 (message or mail) or email or e-mail) w/4 (time or date or hour)

"automatic adjustment" "daylight savings time"

"automatically adjust" "daylight savings time"

adjust\* or chang\* and "daylight savings time" and (email or electronic adj mail or email)

Google.com

automatic adjust "daylight savings time" email

"automatically adjust" "daylight savings time"

"automatic adjustment" "daylight savings time"